

# 3BSE013210R1



Products	Control Systems	800xA I/Os	S800 I/O	S800 I/O 4.0	I/O Modules
Products	Control Systems	800xA I/Os	S800 I/O	S800 I/O 4.1	I/O Modules
Products	Control Systems	800xA I/Os	S800 I/O	S800 I/O 5.0	I/O Modules
Products	Control Systems	800xA I/Os	S800 I/O	S800 I/O 5.1	I/O Modules
Products	Control Systems	800xA System	800xA System	800xA 6.0 System	I/O Modules
Products	Control Systems	Advant OCS with Master SW	I/Os	S800 I/O	I/O Modules
Products	Control Systems	Advant OCS with Master SW	System	Advant OCS with Master SW	Advant Fieldbus 100 I/O Modules
Products	Control Systems	Compact Product Suite	I/Os	S800 I/O	S800 I/O 4.1 I/O Modules
Products	Control Systems	Compact Product Suite	I/Os	S800 I/O	S800 I/O 5.0 I/O Modules
Products	Control Systems	Compact Product Suite	I/Os	S800 I/O	S800 I/O 5.1 I/O Modules
Parts & Services	Control Systems	800xA I/Os	S800 I/O	S800 I/O 4.1	I/O Modules
Parts & Services	Control Systems	800xA I/Os	S800 I/O	S800 I/O 5.0	I/O Modules
Parts & Services	Control Systems	800xA I/Os	S800 I/O	S800 I/O 5.1	I/O Modules
Parts & Services	Control Systems	Compact Product Suite	I/Os	S800 I/O	S800 I/O 4.1 I/O Modules
Parts & Services	Control Systems	Compact Product Suite	I/Os	S800 I/O	S800 I/O 5.0 I/O Modules
Parts & Services	Control Systems	Compact Product Suite	I/Os	S800 I/O	S800 I/O 5.1 I/O Modules

## General Information

<b>Product ID:</b>	3BSE013210R1
<b>ABB Type Designation:</b>	DI830
<b>Catalog Description:</b>	DI830 Digital Input 24V d.c. SOE
<b>Long Description:</b>	2x8 ch, Rated isol. 50V Use Module Termination Unit TU810, TU812, TU814, TU818, TU830, TU833, TU838, TU850.

Additional Information

<b>A/D Resolution:</b>	N/A bit
<b>ABB Industrial IT Suite:</b>	Control IT
<b>ABB Type Designation:</b>	DI830
<b>CIDX:</b>	Undefined
<b>Channel Type:</b>	DI
<b>Core Credit:</b>	0.00
<b>Country of Origin:</b>	China (CN)
<b>Customs Tariff Number:</b>	85389091
<b>Gross Volume:</b>	1.69 dm³
<b>Gross Weight:</b>	0.27 kg
<b>I/O Current, AC:</b>	N/A mA
<b>I/O Current, DC:</b>	N/A mA
<b>I/O Voltage, AC:</b>	N/A V
<b>I/O Voltage, DC:</b>	24 V
<b>Intrinsic Safe:</b>	?
<b>Invoice Description:</b>	DI830 Digital Input 24V d.c. SOE
<b>Made To Order:</b>	No
<b>Medium Description:</b>	DI830 Digital Input 24V d.c. SOE
<b>Minimum Order Quantity:</b>	1 piece
<b>Number of Input Channels:</b>	16
<b>Number of Output Channels:</b>	N/A
<b>Order Multiple:</b>	1 piece
<b>Package Level 1 Units:</b>	0 carton
<b>Part Type:</b>	New
<b>Product Name:</b>	DI830 Digital Input 24V d.c. SOE
<b>Product Net Height:</b>	7.5 cm
<b>Product Net Length:</b>	15 cm
<b>Product Net Weight:</b>	0.27 kg
<b>Product Net Width:</b>	15 cm
<b>Quote Only:</b>	No
<b>Selling Unit of Measure:</b>	piece
<b>Short Description:</b>	-
<b>Stocked At (Warehouses):</b>	Delivery Center Central Stock US DEOSCEXPU SGRL4124EXPU SGRL4414FEXPU SGCTDCEXPU SELOGVEXPU
<b>Technical Information:</b>	DI830 Digital Input 24V d.c. SOE
<b>UNSPSC:</b>	39120000

HiQ Initiative PLC  
 sales@hiqplc.com  
 +86 13306036024



HighFive PLC  
Sales@hfplc.com  
+86 13306036024